

BRBI BROWN
RUDNICK
BERLACK
ISRAELS LLP

One Financial Center
Boston, Massachusetts 02111
617.856.8200
fax 617.856.8201
www.brownrudnick.com

Fax
Facsimile

DATE November 3, 2004

THIS TRANSMISSION CONSISTS OF THIS COVER SHEET AND 1 PAGE(S)

ORIGINAL DOCUMENT TO FOLLOW: YES ☐ NO ☒

If you do not receive all pages, please call Office Services at 617.856.8200

FAX NUMBER 703-872-9306

ATTENTION OF Commissioner for Patents and Trademarks

TELEPHONE NUMBER 703-308-9759

FROM John C. Serio

DIRECT DIAL 617.856.8238

C/M/A # 21221/0001/2253

MESSAGE Status Inquiry Letter
Patent Application No.: 10/600,176
Applicant: Stephen Almeida
Filed: June 20, 2003

RECEIVED
CENTRAL FAX CENTER

NOV 3 2004

#1280195 v11 - seriojc - 21221/1

BEST AVAILABLE COPY

CONFIDENTIALITY NOTICE

The documents accompanying this fax transmission contain information from the law firm of Brown Rudnick Berlack Israels LLP which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this fax in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you. Thank you.

Alexandra House
Ballisbridge, Dublin 4 IRL
+353.1.684.1738
fax +353 1 884 1838

CityPlace I
Hartford, CT 06103
860.509.6500
fax 860.509.6501

8 Clifford Street
London, W1S 2LQ UK
+44.20.7851.6000
fax +44.20.7851.8100

120 West 45th Street
New York, NY 10036
212.704.0100
fax 212.704.0198

121 South Main Street
Providence, RI 02903
401.278.2600
fax 401.278.2801

Docket No. 21221/1-CIP-2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Stephen Almeida Examiner: Not yet assigned
Application No.: 10/600,176 Group Art Unit: 3762
Filed: June 20, 2003 Confirmation No.: 9689
For: DUAL FILTER MULTIPLE PULSE PHOTO-DERMATOLOGICAL
DEVICE WITH PRE/POST OPTICAL HEATING,
QUASILOGARITHMIC SPACING, AND LASER ROD SPECTRUM
INFUSION

CERTIFICATE OF FACSIMILE

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being facsimile transmitted to:
703-872-9306, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

By: Sandra Wittup Date: Nov. 3, 2004
Sandra Wittup

STATUS INQUIRY LETTERRECEIVED
CENTRAL FAX CENTER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

NOV 3 2004

Sir:

This case was filed on June 20, 2003. The Response to Notice to File Missing Parts was
filed on November 13, 2003. Kindly inform us of the status of this case.

Respectfully submitted,

Dated: November 3, 2004

By: [Signature]
John C. Seid, Reg. No. 39,023
Customer No. 21710
Attorney for Applicants
Brown Rudnick Berlack Israels LLP
One Financial Center
Boston, MA 02111
Tel: 617-856-8238
Fax: 617-856-8201

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.